

## Instructions For Use

### EYB-IFU

Rev. Date: Feb, 21, 2012

**Revision: 1** 

Page 1 of 2

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

## Eosin Y Solution (Modified Alcoholic)

**Description:** Eosin Y Solution (Modified Alcoholic) is intended for use in histology and cytology applications. This

newly formulated Eosin provides the benefits of a traditional alcoholic formula with significant

improvements in usability. Advantages include lower evaporation rate, better color patterns, reduced tendency to spill over container, hands, and countertops, and improved surface tension to remain on

tissue section.

Cytoplasm: Light Pink
Collagen: Pink
Muscle: Pink/Rose
Erythrocytes: Pink/Red

**Uses/Limitations:** Not to be taken internally.

For In-Vitro Diagnostic use only.

Histological applications.

Do not use if reagents become cloudy. Do not use past expiration date. Use caution when handling reagents.


Non-Sterile.

Control Tissue: Any well fixed paraffin embedded or

frozen tissue section.

Cell smear.

Ordering Information and Current Pricing at  $\underline{www.scytek.com}$ 



 Availability:
 Item #
 Volume

 EYB500
 500 ml

EYB500 500 ml EYB999 1000 ml EYB3800 1 Gallon


**Precautions:** Avoid contact with skin and eyes.

Flammable.

Harmful if swallowed.

Follow all Federal, State, and local regulations regarding disposal.

torage: 18° C - 25







# Instructions For Use EVP IEII

Rev. Date: Feb, 21, 2012

**Revision: 1** 

Page 2 of 2

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

### **Procedure:**

- 1. Deparaffinize sections if necessary and hydrate to distilled water.
- 2. Dip slide in absolute alcohol and blot excess off.
- 3. Apply adequate Eosin Y Solution (Modified Alcoholic) to completely cover tissue section to excess and incubate for 2-3 minutes.
- 4. Rinse slide using absolute alcohol.
- 5. Dehydrate slide in 3 changes of absolute alcohol.
- 6. Clear slide and mount in synthetic resin.

#### References:

