

Rev. Date: Aug. 5, 2024

Revision: 6

Page 1 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Section 1. Identification of the Substance/Mixture and the Company

| 1.1 Product Identifier | Product Name: EA-50 Stain Solution Product Number: EAC | |
|-----------------------------------|---|---------------------------|
| 1.2 Intended use | EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso professional. FR: Réactif de laboratoire. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning. | |
| 1.3 Details of the | Manufacturer | ScyTek Laboratories, Inc. |
| supplier of the safety data sheet | Address 205 South 600 West Logan, Utah 84321 U.S.A. | |
| | Phone Number 800-729-8350 | |
| | Fax Number 435-755-0015 | |
| | e-mail scytek@scytek.com | |
| | Website scytek.com | |
| 1.4 Emergency Telephone | Chemtrec (USA): 1-800-424-9300 | |

Section 2. Hazards Identification

| 2.1 GHS Classification | Flammable liquids (Category 2) – | , 315 | |
|---------------------------|---|---|--|
| 2.2 Label Elements | Pictogram(s): Signal word: | Danger | |
| | Hazard statement(s): | H225 – Highly flammable liquid and vapour H319 – Causes serious eye irritation H315 – Causes skin irritation H336 – May cause drowsiness or dizziness | |



Rev. Date: Aug. 5, 2024

Revision: 6

Page 2 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

| | Precautionary statement(s): | smoking P302+ P352 – IF ON | om heat/sparks/open flames/hot surfaces – No SKIN: Wash with plenty of soap and water EYES: Rinse cautiously with water for |
|--|--|-------------------------------|---|
| NFPA Scale: 0-4 (Estimated for Mixtures and Kits) | 1 0 | | |
| HMIS (U.S.A.) | HEALTH | 1 | |
| Scale: 0-4 | FLAMMABILITY | 3 |] |
| (Estimated for Mixtures and Kits) | PHYSICAL HAZARD | 0 | |
| wintares and Nis) | PERSONAL PROTECTION | N B | |
| 2.3 Other Hazards | PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB. | | |

Section 3. Composition and Information on Ingredients

3.2 Chemical Description: Mixture

*May contain additional non-hazardous proprietary ingredients.

*May contain additional active ingredients at concentrations <0.1%w/v.

| Hazardous Ingredients: | CAS# | EC# | GHS Symbols | % |
|------------------------|------------|-----------|--|-----------|
| Ethanol | 64-17-5 | 200-578-6 | Danger. 2 H225 Highly flammable liquid and vapour. | ≤ 85 |
| Isopropyl Alcohol | 67-63-0 | 200-661-7 | Warning. 2. H319 Causes serious eye irritation. 3. H336 May cause drowsiness or dizziness. Danger. 3 H225 Highly flammable liquid and vapour. | ≤ 5 |
| Eosin Y | 17372-87-1 | 241-409-6 | Warning. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation. | ≤ 0.3 |
| Light Green SF | 5141-20-8 | 225-906-5 | Warning. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation. Danger. 3 H301 Toxic if swallowed. | ≤ 0.05 |



Rev. Date: Aug. 5, 2024

Revision: 6

Page 3 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

| Bizmark Brown | 10114-58-6 | 233-314-3 | Warning. 2 H315 Causes skin irritation. 2 H319 Causes serious eye irritation. 3 H335 May cause respiratory irritation. | ≤ 0.05 |
|------------------------------|------------|-----------|--|-----------|
| Phosphotungstic Acid Hydrate | 12501-23-4 | N/A | Danger. 1B, H314 Causes severe skin burns and eye damage. | ≤0.2 |

Section 4. First Aid Measures

4.1 Description of first aid measures

Eye Contact: Check for and remove contact lenses. Immediately flush eyes with copious amounts of water. Get immediate medical attention if irritation persists.

Skin Contact: Remove contaminated clothing and wash contact area with mild soap and copious amounts of water. Get medical attention if irritation develops.

Inhalation: If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

Ingestion: Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data available

Section 5. Fire Fighting Measures

| 5.1 Extinguishing Media | Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical. |
|---|---|
| 5.2 Special hazards arising from the substance or mixture | No unusual fire or explosive hazards expected |
| 5.3 Advice for firefighters | As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.) |

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

6.2 Environmental precautions

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

6.3 Methods and materials for containment and cleaning up

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

Section 7. Handling and Storage

7.1 Precautions for safe handling.

Avoid contact with skin and eyes.



Rev. Date: Aug. 5, 2024

Revision: 6

Page 4 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

Wash thoroughly after handling.

Avoid breathing vapor.

7.2 Conditions for safe storage, including any incompatibilities.

Store in well ventilated area. Keep container tightly closed.

Store at 15-30°C.

7.3 Specific end use(s).

See section 1.2

Section 8. Exposure Controls / Personal Protection

| 8.1 Control parameters | Exposure Limits: Ethanol: NIOSH REL: 1000 ppm (1900 mg/m³) TWA OSHA PEL: 1000 ppm (1900 mg/m³) TWA ACGIH TLV: 1000ppm (1900mg/m³) TWA Isopropanol: NIOSH REL: TWA 400 ppm (980 mg/m³) ST 500 ppm (1225 mg/m³) OSHA PEL: TWA 400 ppm (980 mg/m³) ACGIH TLV: TWA 200 ppm STEL 400 ppm |
|------------------------|--|
| 8.2 Exposure controls | Personal Protective Equipment (PPE): Eye/Face protection. Safety glasses or goggles are required. Skin protection. Protective clothing is required. Hand protection. Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove. Respiratory protection. Avoid breathing vapor. Environmental exposure controls. Avoid releasing large quantities into the environment. No additional information. |
| Engineering Controls | Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits. |

Section 9. Physical and Chemical Properties

| Physical State | Liquid |
|-------------------------------|---------------------------|
| Color | Translucent green/orange. |
| Odor | Mild alcohol odor. |
| Odor Threshold | Unknown |
| pH | Unknown |
| Melting Point/ Freezing Point | Unknown |
| Initial Boiling Point | Unknown |
| Flash Point | 20° C (68° F) |
| Evaporation Rate | Unknown |
| Flammability (solid, gas) | Unknown |



Rev. Date: Aug. 5, 2024

Revision: 6

Page 5 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

| Upper/Lower Flammability Limits | Unknown |
|---|----------------|
| Vapor Pressure | Unknown |
| Vapor Density | Unknown |
| Relative Density | Unknown |
| Solubility(ies) | Water |
| Partition Coefficient: n-octanol/water | Unknown |
| Auto-Ignition Temperature | Unknown |
| Decomposition Temperature | Unknown |
| Viscosity | Unknown |
| Explosive Properties | Not explosive. |
| Oxidizing Properties | Unknown |

Section 10. Stability and Reactivity

| 10.1 Reactivity | No relevant data available. |
|-----------------------------|---|
| 10.2 Chemical Stability | Stable under normal temperatures and pressures. |
| 10.3 Possibility of | No hazardous reactions known. |
| Hazardous Reactions | |
| 10.4 Conditions to Avoid | Fire, static electricity, direct sunlight. |
| 10.5 Incompatible Materials | Strong oxidizers, open flame, sparks. |
| 10.6 Hazardous | Carbon oxides. |
| Decomposition Materials | |

Section 11. Toxicological Information

| 11.1 Information on | Acute Toxicity. |
|------------------------|---|
| Toxicological Effects. | No relevant data available |
| G | Skin Corrosion/Irritation. |
| | Irritating to skin and mucous membranes. |
| | Serious Eye Damage/Irritation. |
| | Irritating to eye. |
| | Respiratory or skin sensitization. |
| | No relevant data available. |
| | Germ Cell Mutagenicity. |
| | No relevant data available. |
| Carcinogenicity. | International Agency for Research on Cancer (IARC). |
| 3 | Isopropyl Alcohol is listed as Group 3 – not Classifiable as to carcinogenicity in humans |
| | National Toxicology Program (NTP). |
| | None of the components are listed. |

Section 12. Ecological Information

| 12.1 Toxicity | Fish: No relevant studies identified. |
|---------------|---|
| | Crustacea: No relevant studies identified. |
| | Algae/Aquatic Plants: No relevant studies identified. |



Rev. Date: Aug. 5, 2024

Revision: 6

Page 6 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

| | Other Organisms: No relevant studies identified. |
|--|--|
| 12.2 Persistence and Degradability. | No relevant studies identified. |
| 12.3 Bioaccumulative Potential. | No relevant studies identified. |
| 12.4 Mobility in Soil. | Miscible in water. May spread in water systems. This component is non-volatile. |
| Additional Remarks | None. |
| 12.5 Results of PBT and vPvB Assessment. | PBT: This mixture does not contain any substances that are assessed to be a PBT. vPvB: This mixture does not contain any substances that are assessed to be a vPvB. |

Section 13. Disposal Considerations

| 13.1 Waste Disposal Methods. | Sewage disposal is discouraged. Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations. |
|---------------------------------|--|
| Product/Packaging Disposal. | Final decisions on the appropriate waste management method must be in line with local, regional and national regulations. |
| Other Disposal Recommendations. | No relevant data available. |

Section 14. Transport Information

| 14.1 UN Number | 1170 |
|------------------------------------|------------------------|
| 14.2 UN Proper Shipping Name | Ethyl alcohol solution |
| 14.3 Transport Hazard Class(es) | 1170 |
| 14.4 Packing Group | II |
| 14.5 Environmental Hazards | Marine Pollutant: No |
| 14.6 Special Precautions for User | Not applicable. |

Section 15. Regulatory Information

| 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture. | |
|--|--|
| Extremely Hazardous Substances; Section 355 | None of the components in this mixture are listed. |
| Toxic Substances Control Act; TSCA | All of the components in this mixture are listed. |
| California Proposition 65 | None of the components in this mixture are listed. |
| Right To Know Components | Ethanol Massachusetts Pennsylvania New jersey |



Rev. Date: Aug. 5, 2024

Revision: 6

Page 7 of 7

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 - Tel. (435) 755-9848 - Fax (435) 755-0015 - www.scytek.com

| Isopropanol |
|---------------|
| Massachusetts |
| Pennsylvania |
| New jersey |

Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.